

## Zweiohrklemmen aus vergütetem Stahl



Ø min./max. (mm)

07 - 09

Bandbreite (mm)

6

Verpackung

100


Vorteile

Zerstörungssichere Klemme

### Beschreibung

Artikelnummer	Ø min./max. (mm)	Bandbreite (mm)	Verpackung
<b>0709</b>	07 - 09	6	100
<b>0911</b>	09 - 11	7	100
<b>1113</b>	11 - 13	7	100
<b>1315</b>	13 - 15	7	100
<b>1517</b>	14 - 17	7	100

Artikelnummer	Ø min./max. (mm)	Bandbreite (mm)	Verpackung
<b>1518</b>	15 - 18	7	100
<b>1720</b>	17 - 20	7	100
<b>1821</b>	18 - 21	7	100
<b>2023</b>	20 - 23	8	100
<b>2225</b>	22 - 25	9	100
<b>2327</b>	23 - 27	9	100
<b>2528</b>	25 - 28	9	100
<b>2731</b>	28 - 31	9	100
<b>3134</b>	31 - 34	9	100
<b>3437</b>	34 - 37	9	100
<b>3740</b>	37 - 40	10	50
<b>4043</b>	40 - 43	10	50
<b>4346</b>	43 - 46	10	50



### Dimensions

Artikelnummer	A mm	B mm
0709	9.3	3
0911	11.3	3
1113	13.3	3.5
1315	15.3	3.5
1517	17.5	4.5
1518	18.5	4.5
1720	20.5	5.5
1821	21.5	5.5
2023	23.5	5.5
2225	25.5	6
2327	27.5	6.5
2528	28.5	7
2731	31.5	7
3134	34.5	7.5
3437	37.5	7.5

Artikelnummer	A mm	B mm
3740	40.5	8
4043	43.5	8.5
4346	46.5	8.5