

Einohrklemmen Edelstahlausführung



Ø min./max. (mm)

07 - 09

Bandbreite (mm)

6

Verpackung

100


Vorteile

Zerstörungssichere Klemme

Beschreibung

Artikelnummer	Ø min./max. (mm)	Bandbreite (mm)	Verpackung
INOX 0709E	07 - 09	6	100
INOX 0810E	08 - 10	6	100
INOX 0911E	09 - 11	6,5	100
INOX 1012E	10 - 12	6,5	100
INOX 1113E	11 - 13	6,5	100
INOX 1214E	12 - 14	7	100
INOX 1315E	13 - 15	7	100
INOX 1416E	14 - 16	7	100
INOX 1517E	15 - 17	7	100
INOX 1618E	16 - 18	7	100

Artikelnummer	Ø min./max. (mm)	Bandbreite (mm)	Verpackung
INOX 1719E	17 - 19	7,5	100
INOX 1820E	18 - 20	7,5	100



Dimensions

Artikelnummer	A mm	B mm
INOX 0709E	9.3	5.5
INOX 0810E	10.3	6
INOX 0911E	11.3	6.5
INOX 1012E	12.3	7
INOX 1113E	13.3	7.5
INOX 1214E	14.3	8
INOX 1315E	15.3	8
INOX 1416E	16.3	8.5
INOX 1517E	17.5	9
INOX 1618E	18.5	9
INOX 1719E	19.5	9.5
INOX 1820E	20.5	10