

PVC-Schlauch mit Gewebeeinlage DIFLEX



Beschreibung					
Artikelnummer	Ø Innen./Außen. (mm)	Rollen (m)	Biegeradius (mm)	Max. Betriebsdruck (bar)	Farbe
DIFLEX 6	6 x 12	50	36	15	Blau
DIFLEX 8	8 x 14	50	54	15	Blau
DIFLEX 8RG	8 x 14	50	54	15	Rot
DIFLEX 8C25	8 x 14	25	54	15	Blau
DIFLEX 9	9 x 15	50	66	15	Blau
DIFLEX 10	10 x 16	50	74	15	Blau
DIFLEX 10RG	10 x 16	50	74	15	Rot
DIFLEX 10C25	10 x 16	25	74	15	Blau
DIFLEX 12	12 x 19	50	90	15	Blau
DIFLEX 12RG	12 x 19	50	90	15	Rot
DIFLEX 13	13 x 20	50	101	15	Blau
DIFLEX 13RG	13 x 20	50	101	15	Rot
DIFLEX 16	16 x 22	25	145	15	Blau

Artikelnummer	Ø Innen./Außen. (mm)	Rollen (m)	Biegeradius (mm)	Max. Betriebsdruck (bar)	Farbe
DIFLEX 19	19 x 26	25	174	15	Blau
DIFLEX 25	25 x 33	25	260	15	Blau
DIFLEX 32	32 x 42	25	320	12	Durchsichtig
DIFLEX 38	38 x 48	25	420	11	Durchsichtig
DIFLEX 50	50 x 64	25	600	8	Durchsichtig

